

STANDARD EQUIPMENT FOR MERCEDES SPRINTER 4X4 L2H2

VEHICLE

- Brand:** Mercedes-Benz Sprinter
- Model:** Sprinter MEDIUM SIZE VAN 316 CDI (Available model 419 CDI y 519 CDI)
- Traction Type:** Integral Traction 4x4 with Torque-on-Demand.
- Gearbox:** Automatic (9G-Tronic)
- Gross Vehicle Weight (GVW):** 3.500 Kg
- Engine Power:** 190 CV

Medidas



STANDARD FITTINGS FOR MERCEDES SPRINTER 4X4 L2H2




CAMPERVAN CONVERSION

- ✓ Insulation of existing walls without glass by means of 30 mm Kaiflex self-adhesive panel on walls and roof.
- ✓ Panelling of walls and roof with 3 mm composite panel.
- ✓ Faux leather cladding on sliding door panel and rear door panels. Acoustic carpet lining on remaining walls.
- ✓ Supply and installation of 18 mm composite insulation panel under vinyl flooring.
- ✓ 2 units. DOMETIC SEITZ S4 window, 900 × 450 mm. Casement.
- ✓ 1 unit. DOMETIC SEITZ S4 window. 800 × 350 mm Sliding.
- ✓ 1 unit. DOMETIC SEITZ S4 window. 700 × 400 mm Casement.
- ✓ PLANUS-40 roof hatch. 374 × 374 mm with mosquito net and blackout blind.
- ✓ PLANUS-50 roof hatch. 471 × 471 mm with mosquito net and blackout blind.
- ✓ PLANUS-23 bathroom roof hatch. 230 × 230 mm with mosquito net.

Power System comprising: 1 unit. Victron LiFeP04 12.8 V/200 Ah battery, Victron Phoenix Multi-

Plus Inverter/Charger C12/1200/50 230 V with external socket and extension cable to connect on campsite or in garage, Victron Booster Buck-Boost DC-DC 50 A, Victron Cerbo GX battery control panel and GX Touch 50 display, LED interior lighting, USB and 230 V sockets and switches, tank level sensors and narcotic, propane, butane and CO2 gas detector.

- ✔ Photovoltaic System comprising: 90 W monocrystalline panels (2 units), Victron MPPT 100/20 charge controller.
- ✔ Water System comprising: Clean water tank (137 litres), grey water tank (80 litres), black water tank (69 litres), hose and hot water shower with thermostatic mixer, silent pump with particulate filter (10 litres/min) and metal mixer tap in sink. External shower point.
- ✔ Vitrifrigo C95L refrigerator (95 litres).
- ✔ CAN cooker with dual burner stove and glass cover.
- ✔ CAN sink with glass cover.
- ✔ Furniture made from 15 mm HPL phenolic panel comprising kitchen unit and various cupboards in high areas according to design. Highly resistant assembly using aluminium profiles. Vibration-resistant locks and hinges. Rear-door fabric heat shield. Interior table. Main bed mattress. Upholstered lounge area seating. Outdoor folding table.

-  Full bathroom with Vetus WCPS12 marine toilet. Polyester and HPL water-resistant walls, storage furniture with mirror and folding sink, stainless steel shower tray and phenolic flooring, shower curtain. LED lighting.
-  Heating comprising Webasto Air Top 2000 STC.
-  Whale Expanse gas and electric water heater (8 litres).



ACCESSORIES NOT INCLUDED IN THE FITTINGS AND BASE PRICE

- ✓ BF Goodrich 245/75 R16 KO2 tyre.
- ✓ Scopema Neptune two-person seat bed (86 cm). Mattress topper included.
- ✓ F80S awning (320 cm) in Deep Black with integrated LED lighting.
- ✓ F45S awning (300 cm) in Deep Black with integrated LED lighting (compatible with aluminium roof-rack).
- ✓ WARN VR EVO 12-S winch with synthetic rope (9.5 mm × 27.4 metres) attached to a metal chassis mount. Pulling capacity: 5,443 kg. Wired (3.5 m cable) and wireless control system. Winch front bumper guard.
- ✓ Snorkel.
- ✓ Aluminium rear-wheel holder.
- ✓ ARB 12 V twin compressor CKMTA12.
- ✓ OSRAM 22" SPOT BEAM long range light and OSRAM 12" COMBO BEAM long range light (2 units) on the duralumin roof-rack.

- ✔ Aluminium roof-rack mounted on roof load bars. In textured black paint using electrostatic paint. Multiple load anchor points and accessories using rings and / or M8 bolts. Pack of 10 single rings.
- ✔ Supply and installation of KONI Special Active shock absorbers Sprinter 4x4.
- ✔ Webasto Diesel Ceramic Cooker X100 + sink with tempered glass cover.
- ✔ Combination boiler system comprising an electric boiler heat exchanger (12 litres), Binar 5S engine preheater, Kalori air diffusion system with three adjustable vents, hydronic expansion tank (12 litres).
- ✔ Insulation and anti-freeze pack for grey and black water tanks comprising weatherproof 10 mm thermal insulation and thermal pad with integrated thermostat. Activation from control panel.
- ✔ Fiber pop-top roof with interior hatch access (option for vehicle 419 CDI). This option is subject to there being no roof-hatch installation in the lounge.
- ✔ Painting of sides, painting of underbody, grille and bonnet in colour.
- ✔ Duralumin (front) bumper guard.
- ✔ Mount for cargo and bike carrier including box and bike racks (for two bikes).

- ✓ Rear work light, connection from dashboard.
- ✓ Bamboo storage shelf in driver's cabin.
- ✓ 12 V socket, USB, extra 230 V socket (price per unit).
- ✓ Magnetic window and windscreen insulation.

